

Notice of Allowability

Application No.

10/079,637

Examiner

Sathyanarayan Pannala

Applicant(s)

GOODMAN, BRIAN GERARD

Art Unit

2167

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 19 February 2002.
2. ☒ The allowed claim(s) is/are 1-18.
3. ☒ The drawings filed on 19 February 2002 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 2/19/2002
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

Sathyanarayan Pannala
Patent Examiner
Art Unit 2167

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 2/19/2002 was filed with the patent application. The submission is in compliance with the provisions of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered by the examiner.

Reasons for Allowance

2. The following is an examiner's statement of reasons for allowance:
- The prior art on record does not teach the limitations of operating both accessor controllers to perform the operations of: the subject accessor controller advancing the version code corresponding to the associated metadata in accordance with changes to said metadata; responsive to predetermined input stimuli, performing the operations of the subject accessor controller retrieving the version code corresponding to associated meta data; if the retrieved version code does not match the other version code perform the operations of: if the retrieved version code is more advanced than the other version code, send the subject accessor's associated metadata to the other accessor controller; if the other version code is more advanced than the

retrieved version code, receiving the other accessor's associated metadata and utilizing said received metadata to update the subject accessor's associated metadata. These limitations are in independent claims 1, 7, 13, 16 and 18. The prior art on record does not teach the limitations of the operation of automated data storage library including multiple accessors for transporting including: responsive to predetermined stimuli, the accessor controllers comparing their associated version codes do not match, updating one of the metadata having a less advanced version code with contents of the other metadata. This limitation is in independent claims 3, 9, 14, 15 and 17.

- Dimitri et al. (US Patent 5,970,030) teaches an automated data storage library in which a library accessor, arranged for accessing data recording media stored in storage bins may also exchange electronic components of the library. Carrier, III et al. (US Patent 5,903,897) teaches a system and method for software documentation process control includes the steps of receiving and storing check-in data related to documentation checked into version control system.

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2167

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Sathyanarayan Pannala whose telephone number is (571) 272-4115. The examiner can normally be reached on 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Breene can be reached on (571) 272-4107. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Sathyanarayan Pannala
Examiner
Art Unit 2167

srp
March 17, 2005


C. A. ROEMSON
PRIMARY EXAMINER